

SN. 09/613,742

Examiner's Amendment

9/18/05

Attorney Docket No. 046601-5053

Application No.: 09/613,742

Page 2

LISTING OF

~~IN THE CLAIMS:~~

Please amend the claims as follows:

Claim 1 (Canceled).

Claim 2 (Currently Amended): ~~The rotary deflector according to Claim 1~~ A rotary deflector comprising a mass member detachably fixed to a non-rotary section of a driving motor for rotating a polygon mirror, wherein a periphery of the mass member is larger than a periphery of the non-rotary section of the driving motor and is larger than a periphery of the polygon mirror and, wherein the non-rotary section is a stationary shaft located at the center of rotation of the driving motor and the mass member is attached to the stationary shaft.

Claim 3 (Currently Amendment): ~~The rotary deflector according to Claim 2~~ A rotary deflector comprising a mass member detachably fixed to a non-rotary section of a driving motor for rotating a polygon mirror, wherein a periphery of the mass member is larger than a periphery of the non-rotary section of the driving motor and is larger than a periphery of the polygon mirror, wherein the non-rotary section is a stationary shaft located at the center of rotation of the driving motor and the mass member is attached to the stationary shaft and, wherein the center of gravity of the mass member is located almost at the center of the stationary shaft.

SN. 09/613,742
Examiner's Amendment
4/8/05

Attorney Docket No. 046601-5053
Application No.: 09/613,742
Page 3

Claim 4 (Currently Amended): ~~The rotary deflector according to Claim 2~~ A rotary deflector comprising a mass member detachably fixed to a non-rotary section of a driving motor for rotating a polygon mirror, wherein a periphery of the mass member is larger than a periphery of the non-rotary section of the driving motor and is larger than a periphery of the polygon mirror, wherein the non-rotary section is a stationary shaft located at the center of rotation of the driving motor and the mass member is attached to the stationary shaft and, wherein the mass member is a plate-like member and is symmetrical about the center of gravity.

J.P.
9/05

rejoined

Claim 5 (~~Withdrawn~~): The rotary deflector according to Claim 2, wherein the mass member of a size capable of reducing vibration within the range of the number of rotation of the driving motor is attached.

J.P.
9/05

rejoined

Claim 6 (~~Withdrawn~~): The rotary deflector according to Claim 5, wherein the weight of the mass member is 5 g or more.

J.P.
9/05

rejoined

Claim 7 (~~Withdrawn~~): The rotary deflector according to Claim 2, further comprising:
an engaging section formed at the upper part of the stationary shaft;
an engaged section which is formed at the center of gravity of the mass member and which engages with the engaging section; and
a fixing unit that fixes the engaged section and the engaging section.

SN. 09/613,742
Examiner's Amendment
9/18/05

Attorney Docket No. 046601-5053
Application No.: 09/613,742
Page 4

J.P.
9/18/05

~~Claim 8 (Withdrawn): The rotary deflector according to Claim 1, wherein the mass member is formed integrally with the stationary shaft.~~

Claim 9 (Canceled).

J.P.
9/18/05

~~Claim 10 (Withdrawn): The optical scanning unit according to Claim 9, further comprising:
a stopper that blocks the mass member from rotating a predetermined number of rotation or more is provided within a housing for storing the rotary deflector.~~

~~Claim 11 (Withdrawn): The optical scanning unit according to Claim 10, further comprising:
an elastic member which contacts with the mass member and blocks it from rotating within the housing for storing the rotary deflector.~~

Claim 12 (Canceled).